Tim Hovik's
SAN TAN
Ford

FORD ALUMINUM SERVICE BODIES

KNAPHEIDE
SINCE 1848



ORGANIZED STORAGE

SPACIOUS CARGO AREA

MULTIPLE HEIGHTS AND LENGTHS

POPULAR VOCATIONS

CONSTRUCTION | PLUMBING | ELECTRICAL | HVACR

AVAILABLE THROUGH

SAN TAN FORD COMMERCIAL

YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497

fleet.santanford.com

ALUMINUM SERVICE BODIES

Tim Hovik's SAN TAN Ford

Aluminum service bodies from Knapheide feature a superior design and innovative construction.


Utilizing military-grade aluminum and structural adhesives are just a few of the features that place our aluminum service bodies far ahead of the competition.



STANDARD ALUMINUM SERVICE BODIES

In order to provide customers with the utmost confidence in our aluminum service bodies, we put them through the most rigorous testing program in history. They were subjected to the harshest environments and applications possible in our lab, on proving grounds — and by real customers like you.

Choose a Knapheide Aluminum Service Body and you'll get corrosion resistance, increased payload, and an aluminum service bed that is just as durable as steel.



AEROSPACE ASSEMBLY TECHNOLOGY

Assembled entirely from Grade 5 hardware and structural rivets that are coated specifically not to corrode with aluminum materials.

POPULAR VOCATIONS

- CONSTRUCTION
- MUNICIPALITIES/ UTILITIES
- OIL/MINING/GAS

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

PRODUCT FEATURES

Tim Hovik's SAN TAN Ford

A. FLOOR CONSTRUCTED OF RUGGED 6061 T6 ALUMINUM EXTRUSIONS AND EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN
provides support and corrosion resistance


B. ADJUSTABLE SECURITY RING STRIKERS
provide a weather-tight seal

C. INTERIOR COVER
protects internal latch from damage

D. SLAM-LOCK TAILGATE
with one-hand center release

E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM
features LED S/T/T and B/U, LED strobe option* with (8) selectable patterns, and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights
**Lights covered by 3-year limited warranty



Note: Body may be shown with optional features.

COMPARTMENT FEATURES



NEOPRENE DOOR SEALS
protect compartments from the weather



MASTER LOCKING SYSTEM
for piece of mind – locks down all of the side compartments in one move



CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant



DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing



AUTOMOTIVE-QUALITY, ROTARY-STYLE LATCHES
make opening and closing easy



ADJUSTABLE DIVIDER SHELVES
250-lb. capacity



50' X 1/2" COMPRESSOR HOSE REEL AND ROLLER FAIRLEAD
through curb side vertical compartment



POLYETHYLENE FORMED DRIP PAN WITH DRAIN HOSE
placed under the crane manages water intrusion through the crane pedestal



KNAPHEIDE CONTROLLER
power cel, controller and 8-button switch panel located in the rear crane compartment. CAN bus system with continuous working load of 115 amps features built-in overload current protection for system and operator system

FEATURES NOT SHOWN

SMALL PART STORAGE CONTAINERS
in horizontal compartment on street side

ALUMINUM MECHANIC 7-DRAWER SET
Extreme duty aluminum mechanic 7-drawer set on street side

MULTI-FUNCTION RADIO REMOTE CONTROL
provides convenient complete control of the crane

ELECTRODEPOSITION PRIME-PAINT SYSTEM
provides superior corrosion resistance

(6) D-RING CARGO TIE DOWNS
each D-ring provides a 2000 lb working load capacity

3/16" TREAD PLATE FLOOR
provides traction for safety

12-GAUGE GALVANNEAL STEEL
Compartment bottoms and end panels

KNAPHEIDE'S WATER-BASED UNDERCOAT
Bodies are fully protected with Knapheide's water-based undercoat

DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing

NEOPRENE DOOR SEALS
protect compartments from the weather

ADJUSTABLE DIVIDER SHELVES
250-lb. capacity

CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

ALUMINUM SERVICE BODY COMPARTMENT CONFIGURATIONS

Tim Hovik's SAN TAN Ford

500 SERIES
COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



600 SERIES
COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



700 SERIES
COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



FLIP TOP
COMPARTMENTS

Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



RAISED FRONT
COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60" tall, denoted by "60".



PLUS 50
TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by "50".



LOW PROFILE
BODY

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.





THREE-DRAWER UNIT

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".



TWO-DRAWER UNIT

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

POPULAR OPTIONS

Tim Hovik's SAN TAN Ford



BUMPERS

Knapheide bumpers are constructed with work in mind. Available in two configurations with KnapLiner coating for additional friction and durability.



HITCH RECESS BUMPERS



STRAIGHT BUMPERS

UTILITY RACK

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.

1,000 lb. capacity - forklift loadable



AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

POPULAR OPTIONS

Tim Hovik's SAN TAN Ford



REAR LIFTGATE



POWER LOCKS



MASTER LOCKS



LED COMPARTMENT LIGHTS




FRONT STROBE



CABLE STEPS



GRAB HANDLES



ALUMINUM DRAWERS



PULL-OUT TRAY



METER TRAY WITH HOLES



ALUMINUM TREAD PLATE TRIM KITS



ROCK GUARDS



MODULAR CAB GUARD



REAR ACCESS DOOR



SINGLE POINT OR THREE POINT T-HANDLE



REAR ACCESS DOOR WITH FULL-LENGTH SHELF



BOTTLE GAS RETAINER



E-TRACK & ACCESSORIES



CARGO TIE-DOWNS

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com


MODEL OPTIONS

31” CA SINGLE REAR WHEEL (FORD RANGER SERIES)

MODEL	TYPE	HEIGHT	WEIGHT
A672LP	Low Profile	36”	336 lb.
A672F	Flip Top	37.28”	465 lb.

TRUCK	CAB	GVWR
R1A/R1E/R1F	Super	6,050 lb.


Note: Box Removal is only recommended on XL models without Co-Pilot360 option



40” CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A682	Standard	40”	508 lb.
A682LP	Low Profile	36”	482 lb.
A682F	Flip Top (L)	37.25”	561 lb.
A682F40	Flip Top (H)	41.25”	588 lb.


TRUCK	CAB	GVWR
X2A/X2B	Super	9,900/10,800 lb.
W2A/W2B	Crew	9,900/10,800 lb.
X3A/X3B	Super	9,900/11,500 lb.
W3A/W3B	Crew	9,900/11,500 lb.



56” CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A698	Standard	40”	588 lb.
A698LP	Low Profile	36”	559 lb.
A698F	Flip Top (L)	37.25”	652 lb.
A698F40	Flip Top (H)	41.25”	681 lb.
A698D38	Standard	40”	610 lb.
A698DSL4P	Low Profile	36”	582 lb.
A698D38F	Flip Top	37.25”	696 lb.


TRUCK	CAB	GVWR
F2A/F2B	Regular	9,900/10,600 lb.
X2A/X2B	Super	9,900/10,600 lb.
W2A/W2B	Crew	9,900/10,800 lb.
F3A/F3B	Regular	10,000/11,500 lb.
X3A/X3B	Super	10,000/11,500 lb.
W3A/W3B	Crew	10,000/11,500 lb.



56” CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A698DS4	Standard	40”	703 lb.
A698DSL4P	Low Profile	36”	671 lb.
A698DS4F	Flip Top (L)	37.25”	808 lb.
A698DS4F40	Flip Top (H)	41.25”	836 lb.


TRUCK	CAB	GVWR
F3C/F3D	Regular	13,000/14,000 lb.
X3C/X3D	Super	13,000/14,000 lb.
W3C/W3D	Crew	13,000/14,000 lb.



60” CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A610	Standard	40”	635 lb.
A610LP	Low Profile	36”	604 lb.
A610F	Flip Top (L)	37.25”	705 lb.
A610T40	Flip Top (H)	41.25”	737 lb.


TRUCK	CAB	GVWR
F3E/F3F	Regular	9,800/11,500 lb.
X3E/X3F	Super	9,800/11,500 lb.
W3E/W3F	Crew	9,800/11,500 lb.



60” CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A610DS4	Standard	40”	764 lb.
A610DSL4P	Low Profile	36”	725 lb.
A610DS4F	Flip Top (L)	37.25”	872 lb.
A610DS4F40	Flip Top (H)	41.25”	907 lb.
A610DS4H46	Standard	46”	747 lb.
A610DS4H60	Standard	60”	902 lb.


TRUCK	CAB	GVWR
F3G/F5H	Regular	14,000 lb.
X3G/X5H	Super	14,000 lb.
W3G/W3H	Crew	14,000 lb.
F4G/F4H	Regular	15,000/16,500 lb.
X4G/X4H	Super	15,000/16,500 lb.
W4G/W4H	Crew	15,000/16,500 lb.
F5G/F5H	Regular	17,500/19,500 lb.
X5G/X5H	Super	17,500/19,500 lb.
W5G/W5H	Crew	17,500/19,500 lb.



84” CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A6132DS4	Standard	40”	902 lb.
A6132DSL4P	Low Profile	36”	862 lb.
A6132DS4F	Flip Top (L)	37.25”	1,033 lb.
A6132DS4F40	Flip Top (H)	41.25”	1,073 lb.
A6132DS4H46	Standard	46”	888 lb.
A6132DS4H60	Standard	60”	1,070 lb.

TRUCK	CAB	GVWR
F3G/F3H	Regular	14,000 lb.
F4G/F4H	Regular	15,000/16,500 lb.
X3G/X4H	Super	15,000/16,500 lb.
W4G/W4H	Crew	15,000/16,500 lb.
F5G/F5H	Regular	17,500/19,500 lb.
X5G/X5H	Super	17,500/19,500 lb.
W5G/W5H	Crew	17,500/19,500 lb.



AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

COMMITMENT TO

CORROSION RESISTANCE

Tim Hovik's SAN TAN Ford

Aluminum bodies are naturally corrosion resistant. Where steel fasteners are used, those fasteners are coated with "EcoGuard" to eliminate the interaction between the steel and aluminum.

This aluminum assembly method both allows us to create products with the highest level of corrosion resistance available.

This system allows us to create products with the highest level of corrosion resistance available.



TEN YEAR, LIMITED TIME WARRANTY

NO RUST THROUGH

DOOR HINGES WILL NOT FAIL OR COME OFF BODY

LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE

SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

KNAPHEIDE®

SINCE 1848

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com