
Tim Hovik's
SAN TAN
Ford

FORD STEEL SERVICE BODIES

KNAPHEIDE
SINCE 1848



AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com


STANDARD STEEL SERVICE BODIES



With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvanneal steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

POPULAR VOCATIONS

- CONSTRUCTION
- MUNICIPALITIES/ UTILITIES
- OIL/MINING/GAS

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

PRODUCT FEATURES

Tim Hovik's SAN TAN Ford

A. FLOOR CONSTRUCTED OF RUGGED 6061 T6 ALUMINUM EXTRUSIONS AND EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN
provides support and corrosion resistance


B. ADJUSTABLE SECURITY RING STRIKERS
provide a weather-tight seal

C. INTERIOR COVER
protects internal latch from damage

D. SLAM-LOCK TAILGATE
with one-hand center release

E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM
features LED S/T/T and B/U, LED strobe option* with (8) selectable patterns, and built-in reflectivity for additional safety**

**Additional wire harness required for strobe lights*
***Lights covered by 3-year limited warranty*



Note: Body may be shown with optional features.

COMPARTMENT FEATURES



NEOPRENE DOOR SEALS
protect compartments from the weather



MASTER LOCKING SYSTEM
for piece of mind – locks down all of the side compartments in one move



CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant



DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing



AUTOMOTIVE-QUALITY, ROTARY-STYLE LATCHES
make opening and closing easy



ADJUSTABLE DIVIDER SHELVES
250-lb. capacity



50' X 1/2" COMPRESSOR HOSE REEL AND ROLLER FAIRLEAD
through curb side vertical compartment



POLYETHYLENE FORMED DRIP PAN WITH DRAIN HOSE
placed under the crane manages water intrusion through the crane pedestal



KNAPHEIDE CONTROLLER
power cel, controller and 8-button switch panel located in the rear crane compartment. CAN bus system with continuous working load of 115 amps features built-in overload current protection for system and operator system

FEATURES NOT SHOWN

SMALL PART STORAGE CONTAINERS
in horizontal compartment on street side

ALUMINUM MECHANIC 7-DRAWER SET
Extreme duty aluminum mechanic 7-drawer set on street side

MULTI-FUNCTION RADIO REMOTE CONTROL
provides convenient complete control of the crane

ELECTRODEPOSITION PRIME-PAINT SYSTEM
provides superior corrosion resistance

(6) D-RING CARGO TIE DOWNS
each D-ring provides a 2000 lb working load capacity

3/16" TREAD PLATE FLOOR
provides traction for safety

12-GAUGE GALVANNEAL STEEL
Compartment bottoms and end panels

KNAPHEIDE'S WATER-BASED UNDERCOAT
Bodies are fully protected with Knapheide's water-based undercoat

DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing

NEOPRENE DOOR SEALS
protect compartments from the weather

ADJUSTABLE DIVIDER SHELVES
250-lb. capacity

CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

STEEL SERVICE BODY COMPARTMENT CONFIGURATIONS



500 SERIES
COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



600 SERIES
COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



FLIP TOP
COMPARTMENTS

Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slamrable top lid door and a convenient one-hand release located in the horizontal compartment.





700 SERIES
COMPARTMENTS

The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



THREE-DRAWER UNIT



TWO-DRAWER UNIT



LOW PROFILE
BODY

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.



RAISED FRONT
COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60" tall, denoted by "60". "60-L" indicates raised front compartment on the street side (left) of the body, and "60-B" indicates raised front compartments on both sides.

PLUS 50
TRANSVERSE COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment back. Plus 50 models have 50% more effective storage capacity. Models are denoted by "50".

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".

POPULAR OPTIONS

Tim Hovik's SAN TAN Ford

BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



STEP BUMPERS



HITCH RECESS BUMPERS




STRAIGHT BUMPERS




TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.



CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side one-piece body design, take a look at our KUVcc product line.



CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.



STRAIGHT SIDES



TELESCOPIC ROOF

RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.



UTILITY RACK
1,000 lb. capacity - forklift loadable



SIDE MOUNT LADDER RACK
150 lb. capacity



SIDE ACCESS DOORS



SIDE LADDER RACKS



REAR ACCESS DOOR

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

LADDER RACK ROLLERS

LADDER RACK RAILS



OVERHEAD MATERIAL RACK
Kargo Master



OVERHEAD LADDER RACK
300 lb. capacity



REAR LIFTGATE



POWER LOCKS



MASTER LOCKS



LED COMPARTMENT LIGHTS



FRONT STROBE

OPTIONS & MODELS

POPULAR OPTIONS & MODEL OPTIONS

Tim Hovik's SAN TAN Ford

POPULAR OPTIONS


POWER LOCKS


MASTER LOCKS


LED COMPARTMENT LIGHTS


FRONTSTROBE


CABLE STEPS


GRAB HANDLES


FLEX STEPS


STEEL DRAWERS


ALUMINUM DRAWERS


PULL-OUT TRAY


PULL-OUT SHELVES


METER TRAY WITH HOLES


ALUMINUM TREAD PLATE TRIM KITS


ROCK GUARDS


WHEEL CHOCK HOLDER – FENDER SKIRT


MOUNTING KITS FOR REMOVABLE CRANE (SPITZLIFT)


MODULAR CAB GUARD


REAR ACCESS DOOR


SINGLE POINT OR THREE POINT T-HANDLE


REAR ACCESS DOOR WITH FULL-LENGTH SHELF


E-TRACK & ACCESSORIES


CARGO TIE-DOWNS


BOTTLE GAS RETAINER

MODEL OPTIONS

40" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB
680	Standard	40"	875 lb.	X2A/X2B	9,900/10,800 lb.
680LP	Low Profile	36"	827 lb.	W2A/W2B	9,900/10,800 lb.
680F*	Flip Top (L)	37.25"	942 lb.	X3A/X3B	10,000/11,800 lb.
680F40	Flip Top (H)	41.25"	989 lb.	W3A/W3B	10,000/12,400 lb.

56" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB
696	Standard	40"	1,048 lb.	F2A/F2B	9,000/10,600 lb.
696LP	Low Profile	36"	993 lb.	X2A/X2B	9,000/10,800 lb.
696F	Flip Top (L)	37.25"	1,125 lb.	W2A/W2B	9,000/10,800 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.	F3A/F3B	9,900/11,400 lb.
696D38*	Standard	40"	1,064 lb.	X3A/X3B	9,900/11,800 lb.
696D38LP*	Low Profile	36"	1,005 lb.	W3A/W3B	9,900/11,900 lb.
696D38F*	Flip Top	37.25"	1,142 lb.	F2A/F2B/F3A/F3B	9,900/11,500 lb.
"D38 models denote 38" wide floor and 20" deep compartments.			X3A/X3B	Super, Diesel	9,900/11,500 lb.
			W2A/W2B /W3A/W3B	Crew, Diesel	9,900/12,400 lb.

*"F" models only

Note: *Chassis with GVWR 10,000 lb. and under subject to curb weight limits. Not all engine/drive and body combinations are applicable.*

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com

MODEL OPTIONS

56" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
696D54	Standard	40"	1,205 lb.	F3C/F3D	Regular	13,000/14,000 lb.
696D54LP	Low Profile	36"	1,146 lb.	X3C/X3D	Super	13,000/14,000 lb.
696D54F	Flip Top (L)	37.25"	1,279 lb.	W3C/W3D	Crew	13,000/14,000 lb.
696D54F40	Flip Top (H)	41.25"	1,339 lb.			

60" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
6108	Standard	40"	1,147 lb.	F3E	Regular, Gas	9,800/10,900 lb.
6108LP	Low Profile	36"	1,094 lb.	F3F	Regular, Diesel	9,800/11,500 lb.
6108F	Flip Top (L)	37.25"	1,239 lb.	X3E	Super, Gas	9,800/11,300 lb.
6108F40	Flip Top (H)	41.25"	1,295 lb.	X3F	Super, Diesel	9,800/11,500 lb.
				W3E	Crew, Gas	9,800/11,400 lb.
				X3F	Crew, Diesel	9,800/11,500 lb.

Note: Chassis with GVWR 10,000 lb. and under subject to curb weight limits.
Not all engine/drive and body combinations are applicable.

84" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
6132D54	Standard	40"	1,590 lb.	F3G/F3H	Regular	14,000 lb.
6132D54LP	Low Profile	36"	1,518 lb.	F4G/F4H	Regular	15,000/16,500 lb.
6132D54F	Flip Top (L)	37.25"	1,710 lb.	X4G/X4H	Super	15,000/16,500 lb.
6132D54F40	Flip Top (H)	41.25"	1,785 lb.	W4G/W4H	Crew	15,000/16,500 lb.
6132D54H46	Standard	46"	1,709 lb.	F5G/F5H	Regular	17,500/19,500 lb.
6132D54H60	Standard	60"	1,986 lb.	X5G/X5H	Super	17,500/19,500 lb.
				W5G/W5H	Crew	17,500/19,500 lb.
				F600	Regular	22,000 lb.
				F6K	Regular	22,000 lb.
				F6L	Regular	22,000 lb.

60" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	CAB	GVWR
6108D54	Standard	40"	1,306 lb.	F3G/F3H	Regular	14,000 lb.
6108D54LP	Low Profile	36"	1,245 lb.	X3G/X3H	Super	14,000 lb.
6108D54F	Flip Top (L)	37.25"	1,391 lb.	W3G/W3H	Crew	14,000 lb.
6108D54F40	Flip Top (H)	41.25"	1,452 lb.	F4G/F4H	Regular	15,000/16,500 lb.
6108D54H46	Standard	46"	1,411 lb.	X4G/X4H	Super	15,000/16,500 lb.
6108D54H60	Standard	60"	1,647 lb.	W4G/W4H	Crew	15,000/16,500 lb.
				F5G/X5H	Regular	17,500/19,500 lb.
				X5G/X5H	Super	17,500/19,500 lb.
				W5G/W5H	Crew	17,500/19,500 lb.
				F600	Regular	22,000 lb.
				F6K	Regular	22,000 lb.
				F6L	Regular	22,000 lb.

82" CA SINGLE REAR WHEEL - FORD TRANSIT

MODEL	TYPE	HEIGHT	WEIGHT	TRUCK	GVWR
6129-FT	Standard	43"	1,503 lb.	RSZ/R7Z	9,070 lb.
				WSZ/W7Z	9,500 lb.

COMMITMENT TO

CORROSION RESISTANCE

Tim Hovik's SAN TAN Ford

Corrosion won't be a concern when you buy Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



SIX YEAR, LIMITED TIME WARRANTY

- NO RUST THROUGH
- DOOR HINGES WILL NOT FAIL OR COME OFF BODY
- LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE
- SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

AVAILABLE THROUGH
SAN TAN FORD COMMERCIAL
YOUR COMMERCIAL VEHICLE SOLUTIONS PARTNER

BUILT FOR WORK.
BACKED BY FORD.
READY FOR YOU.

480-418-7497
fleet.santanford.com